То:	Wagner, Christine[Wagner.Christine@epa.gov]	,·-·-·- <sub>1</sub>
	Nonresponsive based on revised scope @tetratech.com]; Nonresponsive based on revised scope @tetr	
Nonresponsive based on revised scope @epa.gov]; Graybill, Eric[graybill.eric@epa.gov]; Fortune, Warren[Fortune.Warren@epa.gov]		
From:	Nonresponsive based on revised scope OPEXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE	E GROUP
(FYDIBO	HF23SPDLT)/CN=RECIPIENTS/CN=29594540F9864AD2AB18944AF0A52E05	Nonresponsive based on revised scope
Sent:	Fri 12/18/2020 1:54:28 PM (UTC)	L
Subject:	49202 - Validated Electronic Data for Shiloh Church Road	
<u>49202 CC</u>	DBQ6 LTR.pdf	
49202 C	0BQ6_DVR.pdf	
49202 C	OBQ6_SSR.pdf	
EQuIS 1	49202 C0BQ6 VAL.xls	

Christine Wagner US EPA Region 3 1650 Arch Street

Philadelphia, PA 19103-2029

EQUIS 2 49202 COBQ6 VAL.xls EQUIS 3 49202 COBQ6 VAL.xls EQUIS 49202 COBQ6 VAL.xls

Dear Christine,

Attached to this message you will find electronic files containing the validation report and validated data for the Shiloh Church Road site, Case # 49202, SDG C0BQ6. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Eric Graybill by phone at 410-305-2665 or e-mail at <a href="mailto:Graybill.Eric@epa.gov">Graybill.Eric@epa.gov</a> if additional assistance is needed.

